Belt grinder

 # 00103017

TAS Belt grinders - TAS 75







HM TAS 75 is an effective quality belt sander for optimal grinding in all metals.

HM TAS 75 is manufactured in accordance with the strictest environmental- and health and safety regulations.

The HM TAS 75 is as standard equipped with a motor brake, adjustable top work support, eye shield, thermal overload no volt release starter and emergency stop.

The machine is also CE-approved and has a low level of noise.

Standard features :

• Danish design and top quality.

SCANTOOL GROUP Industrivej 3-9, 9460 Brovst +45 98 23 60 88 info@scantool-group.dk

HM MACHINERY

• Powerful motors

• Thermal Overload No Volt Release starter

• Separate emergency stop

• Electronic Motor-brake

• Adjustable top work support

• Eye protection

• Working height can be set to the most optimum position

• Unique design for clean, quick and safe grinding

• Self-adjusting belt tensioner

Optional accessories :

• Dust extraction

• Centerless grinding attachments (dry or wet)

• Pipe notching attachment

Product Link:

https://hmmachinery.dk/en/product/belt-grinder-672

Product Specification

Motor (HP)	4,1
Voltage	3x400V - 50 Hz
Wheel size, Drive wheel (ø mm)	200x75x24
Wheel size, Contact wheel (ø mm)	200x75x20
Grinder Belt (mm)	75x2000
Grinding plane (mm)	75x605
Without exhaust	1
Length (mm)	1025

Width (mm)	500
Height (mm)	1000
Net weight (kg)	75

Product Link:

https://hmmachinery.dk/en/product/belt-grinder-672